



AF™ F One



New generation of ONE FILE system

WWW.FANTA-DENTAL.COM



A Closer Look at AF™ F One

- Unique Cross Section Design
- Flat Cut Processed
- Continuous Rotation (recommend 500RPM, 2.6N)
- AF™-R Wire Tech




Stress that instruments meet in the canal for F One and S One.

F One has a **11mm** length handle, which enable a better access to molars.



Patent flat design:

- The vertical blades can sweep the debris from flutes to the relieved area, which results better cutting of flutes and less stress.
- Reduce the instrument's cutting surface, less stress will be placed on the instrument.
- More room for irrigate during operation which may lowering the rate of smear layer formation.
- The flat is not cut deeply, so it increases the flexibility without compromising the strength.




Flat side



Tip Area



If you would like other size or taper, please contact the FANTA dealer in your city.




Guidelines for use:

- AF™ F One files are compatible with all major rotary motors in the market
- Use open file to create a straight-line access, Speed 350RPM, Torque 2.6N
- Explore the canal by using #10 and #15 stainless steel K file
- Use F One to prepare to 2/3 of the working length, Speed 500RPM, Torque 2.6N
- Re-determine WL again by #10 file
- Use F One again to the full working length

Every time you change file, please ensure irrigate the root canal copiously and frequently. (very important)

F One Product Range:





Professional Precisely Reliable
Endodontic Solution

Sales Office: No 55, East Tian Lin RD, Xu Hui District, Shanghai, China

Factory Address: West Taihu Lake Medical Industrial Incubator, Changzhou, China

Tel: 0086 21 64033133

Email: sales@fanta-dental.com